

Contraceptive Use, Availability, and Discontinuation by Method

| Modern Contraceptive Method Mix | | | |
|-----------------------------------|------------------------|-------|-------------------------|
| Long-Acting and Permanent Methods | Sterilization (female) | 6.1% | Source 2012 DHS |
| | Sterilization (male) | 0.0% | |
| | IUD | 0.0% | |
| | Implant | 11.2% | |
| Short-Term Methods | Injectable | 37.8% | Population All Women |
| | Pill | 20.4% | |
| | Condom (Male) | 19.4% | |
| | Condom (Female) | 0.0% | |
| | LAM | 5.1% | |
| | Standard Days method | 0.0% | |
| | Other Modern Methods | 0.0% | |

| Percentage of facilities stocked out, by method offered, on the day of assessment | | | |
|---|-------------------------|-----|---------------|
| Long-Acting and Permanent Methods | Sterilization (female) | --- | Source --- |
| | Sterilization (male) | --- | |
| | IUD | --- | |
| | Implant | --- | |
| Short-Term Methods | Injectable | --- | Year --- |
| | Pill | --- | |
| | Condom (Male) | --- | |
| | Condom (Female) | --- | |
| | Emergency Contraception | --- | |
| | Other modern methods | --- | |

| | Value | Source | Year |
|--|-------|--------|------|
| Percentage of primary SDPs that have at least 3 modern methods of contraception available on day of assessment | --- | --- | --- |
| Percentage of secondary/tertiary SDPs with at least 5 modern methods of contraception available on day of assessment | --- | --- | --- |

| Contraceptive Discontinuation Rates and Method Switching (first 12 months)** | | | | | | |
|--|-----|---------|------------|-------|---------------|----------|
| | IUD | Implant | Injectable | Pill | Condom (male) | Source |
| Discontinuation while in need | --- | --- | 15.2% | 8.0% | --- | 2012 DHS |
| Discontinuation while not in need | --- | --- | 8.1% | 4.8% | --- | |
| Total discontinuation (all reasons) | --- | --- | 25.1% | 18.3% | --- | |
| Switching to a different method | --- | --- | 0.2% | 0.7% | --- | |

Contraceptive Services and Decision-Making

| | Value | Source | Population |
|---|-------|----------|------------|
| Method Information Index** | 37% | 2012 DHS | All Women |
| Percentage of women who received family planning information during a contact with a health service provider ** | 16% | 2012 DHS | All Women |
| Percent of current modern contraceptive users who last obtained their family planning method from each source (All Methods) | | | |
| Public | 87% | 2012 DHS | --- |
| Private Medical | 3% | | |
| Other | 8% | | |
| Percentage of women who decided to use family planning alone or jointly with their husbands/partners | 71% | 2012 DHS | --- |

Investment in Family Planning

| | Value | Source | Year |
|--|--------------|--------|------|
| Annual expenditure on family planning from government domestic budget (USD \$) | \$ 4,050,174 | WHO | 2019 |

Traditional Contraceptive Use

Source : Family Planning Estimation Tool (FPET)

Traditional Contraceptive Use did not meet the reporting threshold (tCP among Married Women >5% in 2022) and so is not reported for this country.

| | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 |
|-----------------|------|------|------|------|------|------|------|------|------|------|------|
| All Women | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Married Women | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Unmarried Women | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Notes

--- indicates no data post 2012 was available

* Total Users among Married Women and Unmarried Women will not sum exactly to the Total Users among All Women

** Additional disaggregation or details available in the full data set.

